

Edition 1



Europalite 

TRAFFIC SEPARATORS • PEDESTRIAN BARRIERS • ROAD CONES & SIGNS • TRAFFIC CALMING •
GROUND PROTECTION • BUILDING MATERIALS • WINTER PRODUCTS

01623 528760 | europalitedirect.co.uk



MANUFACTURERS AND SUPPLIERS OF HIGH QUALITY PRODUCTS TO THE CONSTRUCTION, ROAD BUILDING AND TRAFFIC MANAGEMENT INDUSTRIES.

Our wide range includes traffic barriers and separators, road cones, traffic safety signs, building and winter associated products.

We are aware of the impact our products have on the environment and the need to protect the environment for future generations. As a result of this our products are manufactured from recycled materials where ever possible and our entire product range is 100% recyclable at the end of its useful life.

As well as manufacturing our own range of products, Europalite have built up a reputation for being a high quality moulder and we are proud to have designed, developed and manufactured products for our customers.

Europalite has a policy of continuous improvement, we continue to invest in our staff and infrastructure to provide a manufacturing facility to meet our mission.

Quality products delivered on time to meet our customer requirements.

Please see back cover showing depot locations & contact details, Europalite is a trading division of Marwood Group Ltd.

CONTENTS

Separators & Barriers	3 - 6	Building Materials	13 - 14
Kerbs	7	Winter Products	15
Cones, Signs, Ramps & Ground Protection	8 - 12		

SEPARATORS & BARRIERS

UNIVERSAL TVPB BARRIER

2mtr Universal TVPB (temporary vertical plastic barrier) has been designed for situations where a larger safe barrier is required. Can be used in either temporary or permanent situations. Units stack to minimise transport and storage costs. When used in conjunction with our Universal fence and gate systems this makes a complete, safe traffic or pedestrian segregated zone.

- Made from UV stabilised virgin LLDPE
- Available in red & white
- Push cap for filling barriers (76mm) drain plug (60mm)
- Can be forklifted for easy transportation, fork channels 188mm x 100mm
- Free standing so no need for fixings
- Can be used to for vehicle or pedestrian traffic.
- Additional options available, fence panel, pedestrian gate, vehicle gate & hoardings
- Compatible with 2mtr Universal Barrier (starts with female end)
- Reflective strips available upon request (SALE ONLY)

Height	940mm
Length	2155mm
Width	500mm
Weight empty	42kg
Male Terminator weight empty	14.2kg
Female Terminator weight empty	14kg



SEPARATORS & BARRIERS CONTINUED...




UNIVERSAL 1000 MINI BLOCK

Designed for situations when storage is at a premium. These barriers are ideal for directing flow of traffic or separating site works from road traffic. This water fill unit is a must for all contractors.

- Available as 1m length, the Universal mini range helps to minimise transport and storage costs.
- Made from UV stabilised LLDPE.
- Top fill cap (76mm) and drain plug at fill height (60mm).
- Can use water or sand to provide increased stability and strength.
- One piece rota-moulded barrier with no additional tool required for installation other than slotting them together.
- Can be forklifted for ease of transportation.
- Can be fitted with 1m Fence Panel.
- Wind tested to BS8442
- Fence panels available 900mm x 850mm

Height	400mm
Length	1115mm
Width	370mm
Weight empty	6.1kg




UNIVERSAL TALL BARRIER

The Universal 1000 Tall Separator range is designed for situations when storage is at a premium. It can be used where extended height separation for pedestrian is required with a fence panel on top.

It can also be used to restrict and direct flow of site users. This water fill unit is a must for all contractors or event organisers.

- Available as 1m length, the universal range stacks to minimise transport and storage costs.
- Made from UV stabilised LLDPE
- Top fill cap (76mm) drain plug at fill height (60mm)
- Can be water or sand filled to provide increased stability and strength.
- One piece rota-moulded barrier with no additional tools required for installation other than slotting the barriers together.
- Can be forklifted for easy transportation.
- Wind tested to BS8442
- 1m fence panel available.



Height	1103mm
Length	118mm
Width	370mm
Weight empty	13kg
Weight full	172kg

**CALL TODAY ON
01623 528 760**



A trading division of Marwood Group Ltd

UNIVERSAL ROAD SEPARATOR

Available in 1m and 2m lengths and designed for situations where storage is at a premium. Can be used in either temporary or permanent situations. Units stack to minimise transport and storage costs.

- Water fill units
- Made from UV stabilised LLDPE
- Comes with tube end cap 76mm
- Overall height of 1m separator with fence panel is 1245mm
- Overall height of 2m separator with fence panel is 2080mm

Warning - Units should not be moved when full with water / ballast as could cause damage to units.

Description	1mtr	2mtr
Length overall	1120mm	2140mm
Height	615mm	800mm
Width	370mm	520mm
Weight Empty	8.5kg	25kg
Weight Full	45kg	186kg



CONTINENTAL SEPARATOR & HURDLE

Can be filled with either water or ballast with easy to assemble jigsaw fixing. Lightweight for easy transportation and positioning yet sturdy enough for use in permanent situations. The 1m Continental Separators can form a round-about with a diameter of 4.5m upwards. Also available is the Continental Hurdle, which when used with the 1m Continental separator, height increases from 600mm to 1000mm.

Warning - Units should not be moved when full with water / ballast as could cause damage to units.

Length	1000mm
Height	600mm
Width	370mm
Weight Empty	8.5kg
Weight Full	45kg



SEPARATORS & BARRIERS CONTINUED...



SELF WEIGHTED TRAFFIC SEPARATOR

Ideal for short term use where water filled separators could be an issue due to icy weather conditions or no water

supply. Has a unique turning feature that allows the barriers to rotate through 45 degrees to easily block off areas.



- Self weighted, no need to fill with water
- Stacks for ease of transportation
- Installed within minutes

Length	1000mm
Height	600mm
Width	300mm
Weight	25kg




TRAFFIC BLOCK

A heavy duty rubber block constructed in 1 metre red or white sections. When linked form a 300mm x 300mm barrier. Easily handled and may be laid to form curves if required. An ideal alternative to traditional baulk timbers as lane markings.

Optional extras Posts & Planks available with the provisions for flashing warning lights (Sale Only).

Length	1000mm
Height	300mm
Width	300mm
Weight Approx	38.5kg - 40.5kg



Good Option - Against Baulk Timber as harder wearing does not rot.


KERBS

KERBCONE

The innovative design of the Kerbcone combines a traffic cone and a traffic kerb into one unit. Ideal for use as a vehicle or pedestrian separation system and can equally be utilised for traffic management purposes. A spacer unit and a corner piece make this system exceptionally flexible for all locations. Kerbcone has excellent stability in poor weather conditions and much higher visibility than standard cones. Stackable for easy storage and transportation with moulded forklift channels. Fitted with a D2 prismatic sleeve manufactured to BS and EN standards.

Optional Extra: Flashing Warning Lights (Sale Only)

Description	Cone	Spacer	Corner
Length	1000mm	1000mm	500mm
Height	750mm	220mm	750mm
Width	320mm	320mm	320mm
Weight	3.2kg	3.2kg	3.2kg



UTOPIAN KERB

Provides a cost effective ballast or water fill kerb. It was originally designed for use at kart racing circuits where it proved to be very popular. Easy to store and transport, the Utopian Kerb is an excellent solution to many traffic management problems.



Description	Type 400	Type 600
Length	1000mm	1000mm
Height	400mm	600mm
Width	320mm	450mm
Weight Empty	8kg	9kg
Weight Full	40kg	45kg



CONES, SIGNS, RAMPS & GROUND PROTECTION



ROADMASTER TRAFFIC CONES

Tough, durable, flexible and offer good impact resistance in all weather conditions. Come fitted with a prismatic sleeve manufactured to the relevant BS and EN standards, other sleeves are available upon request. Base can be personalised with logos or colours.

One Part Cones

- 450mm - one part thermoplastic cone

Two Part Cones

- 750mm - two part polyethylene cone with PVC moulded base
- 1000mm - two part polyethylene cone with PVC moulded base
- Unique flat mat system provides extra stability and prevents carriageway creeping

Optional Extras: Flashing Warning Lights (Sale only)



ROADMASTER CONE SIGNS

Ideal for utility companies where a fast installation is required. A flat profile allows for easy storage and transportation. All signs conform to Chapter 8 regulation using reflective material compliant with BS and EN standards.

- Specials can also be produced for this range and labelling is an additional option

Optional Extra: Flashing Warning Lights (Sale Only)

Triangle	750mm
Circle	750mm
Rectangular	600mm x 450mm



CALL TODAY ON
01623 528 760



A trading division of Marwood Group Ltd

CONE BAR

Retractable cone bars, easily installed on a range of safety cones to create a solid pedestrian barrier. Used for parking spaces, pedestrian areas, constructions sites and crowd containment at public & sports events, ski resorts and city wide events.

- Lightweight, easy to stack and carry
- Reflective for evening use



Description	Short version	Long version
Bar length	1280mm - 2150mm	1520mm - 2400mm
Internal diameter	79mm of top loop ring	195mm of bottom loop ring
Weight	0.5kg each	0.9kg each

ROAD SIGNS

Europolite manufacture a full range of traffic and temporary road signs in frames. Ideal for roadworks and traffic management to help ensure the safety of drivers and pedestrians.

- Other sizes & options available on request

Ramp	1050mm x 450mm
Pedestrian	600mm x 450mm
Footpath Closed	600mm x 450mm
Roadworks (triangle)	750mm
Road Ahead Closed	1050mm x 750mm
Direction Left / Right (Circular)	750mm



CONES, SIGNS, RAMPS & GROUND PROTECTION CONTINUED...

SPEED REDUCTION CABLE PROTECTION RAMP 3/5 CHANNEL CABLE RAMPS

Cable Protection System with reinforced high visibility yellow PE hinged lid for easy cable placement. Protects valuable electrical cables and hose lines from damage while providing a safe crossing for vehicle and pedestrian traffic.

Ideal for use in construction sites, commercial, industrial and utility applications. Can also be used in entertainment venues, sporting events, amusement parks and most public areas.

- Male & Female end sections available for 3-Channel only
- No end section available for the 5-channel lidded ramps
- Modular interlocking design is lightweight, easy to transport, setup, disassemble and store

Description	Cablepro3	Cablepro5
Length	970mm	960mm
Width	590mm	560mm
Depth	80mm	80mm
Weight	24kg	23kg
Max load per vehicle axle	12 Tonne	12 Tonne
Inner channel	55cm (W) x 50mm (D)	35mm (W) x 50mm (D)



SPEED RAMPS

Ideal method for protecting temporary cables, hoses and reducing traffic speed. Should be laid as alternate black and yellow sections and bolted down. Manufactured from heavy duty PVC.

- Dog bone – connector
- Cats eyes- supplied in sets 8 pcs
- Bolts – supplied in sets 4 pcs/set

- 48mm x 33mm aperture suitable for temporary cable protection
- Speed ramp end part 210mm x 500mm x 70/75mm (Black)
- End caps available for permanent installation if required
- Allowable axial weight is 12.5 T or less



CALL TODAY ON
01623 528 760



A trading division of Marwood Group Ltd

TEMPORARY ZEBRA CROSSING MAT

Designed for use as temporary pedestrian crossing, providing safety and clear directions. Flexible, fast and easy to install with the added advantage of high visibility. Can also be used on construction sites or other places of work used by pedestrians.

Length	1200mm
Width	600mm
Height	22mm
Weight	24kg



SAFETY HOSE RAMP

Solid reinforced rubber units to protect hoses, electrical cables or pipe work. With a stepped construction for safe use and flexible base apron for maximum grip.

- Gap size to suit cable is 90mm across x 75mm depth
- Suitable for use with most vehicles including buses and HGV
- Joiners available for multiple use (Sale only)



Safety Requirement: "Ramp" warning signs should be displayed to warn road users of the obstruction and to approach with minimum speed.

Length	830mm
Width	300mm
Height	90mm
Weight	8.8kg



CONES, SIGNS, RAMPS & GROUND PROTECTION CONTINUED...

UNIVERSAL GROUND PROTECTION MAT

Universal Ground Protection Mat can be used across a wide range of industries including utilities, construction and civil engineering projects, drilling contractors, emergency access, temporary access road and work areas, sports facilities and recreational grounds, gardens, parks, golf courses, cemeteries and a multitude of other applications. The mat comes in two versions which have treads on one side or treads on both sides.

Single-sided mat with a smooth side underneath that can be used to drive over sidewalks, asphalt, tarmac,

concrete driveways, tile floors and can work on flat roofs. Double sided mats have a better traction with the vehicle tyre to mat.

The traction tread built into the underside of the mat aids gripping to the surface, whether that be soil, grass or synthetic turf. These small treads prevent sliding and provide stability of the mat.

• 2 and 4 way connectors available, mats can also be secured using cable ties for delicate surface.

- Steel pins available for securing mats on steep hills.
- Two person lift with hand cut outs for easy handling and installation, lightweight at 33kg
- Lightweight mats for tyred or rubber tracked vehicles up to 60 tonnes in weight (depending on ground conditions)

Length	2410mm
Width	1120mm
Thickness	13mm



STOP /GO LOLLIPOP

Ideal for traffic flow situations, the sign is extremely long lasting and is shatter, rust, rot and water proof. An excellent alternative to the traditional metal or wooden pole types.

- Manufactured from 100% recycled polyethylene
- Can also be faced with a Stop/Works option

Height	2000mm
Face Diameter	600mm



CALL TODAY ON
01623 528 760



A trading division of Marwood Group Ltd



MORTAR TUBS

Plastic Mortar Tubs // Designed to maintain rigidity when laden. This is achieved by using a heavy wall thickness which is further strengthened by a steel reinforcing tube around the top diameter of the Mortar Tub (plastic).

Forklift channels/steel lifting points are provided to allow lifting by either a forklift or crane using connecting webbing slings.

Description	Mighty Tub	Mortar Tub	Mortar Box	Flat Base Motar Tub	Lidded Top Tub
Capacity	250litre	250litre	169litre	250litre	250litre
Length	1132mm	1175mm	900mm	1132mm	1138mm
Width	782mm	782mm	620mm	782mm	788mm
Height	535mm	675mm	550mm	535mm	635mm
Weight (Approx)	17kg	31kg	12kg	7kg	24kg



Mighty Tub



Mortar Tub



Mortar Box



Flat Base Motar Tub



Lidded Mortar Tub

BUILDING MATERIALS CONTINUED...



RUBBISH CHUTES

Ideal way of transferring debris and rubble from the various levels of any building or structure to a builders skip. Installed onto a scaffold or if no scaffold available, a simple 'H' frame should be used at a window opening or roof parapet.

- Can be used at any height with multiple entry points at various floors
- Fully enclosed system for safe disposal of waste and rubble
- Lightweight for simple installation and handling

Description	Standard Chute	Standard Hopper	Jumbo Chute	Jumbo Hopper
Height	N/A	700mm	N/A	950mm
Length	1000mm	1050mm	1000mm	1000mm
Width Inner Diameter	470mm	470mm	890mm	890mm
Self-Weight	10kg	20kg	20kg	30kg



WONDERBARROW

Manufactured from recycled plastic and with no metal parts making it completely safe for use in areas where conductivity may be an issue. The Wonder Barrow has a 3cuft capacity fitted with a 16" pneumatic wheel and is fully weather resistant easily outlasting ordinary metal barrows.

Capacity	3 (cuft)
Length	990mm
Height	600mm
Width	690mm
Weight	11kg

- Standard colour is black, other colours are available upon request



CALL TODAY ON
01623 528 760 

A trading division of Marwood Group Ltd

WINTER PRODUCTS



GRIT / SALT BINS

Essential equipment in inclement weather our Grit/Salt Bins are highly visible, extremely durable and completely rot proof. Moulded from tough polyethylene with fully integrated hinge and drain holes in the base. A hasp and staple can be fitted at extra cost if a lockable Grit/Salt Bin is required.

Embossed with the word "Grit", further personalisation and logos are available if required. Other colours available on request.

Optional Extras: Snow Shovel & Bags of Salt/Grit (Sale Only)



Description	6cu/ft	7cu/ft	12cu/ft	14cu/ft	36cu/ft
Capacity	170ltr	200ltr	340ltr	395ltr	1020ltr
Height	710mm	700mm	760mm	850mm	950mm
Depth	660mm	600mm	710mm	720mm	1180mm
Width	660mm	880mm	810mm	1100mm	1280mm
Weight	11kg	15kg	14kg	23kg	38kg
Stackable	No	Yes	Yes	Yes	No

SNOW SHOVEL

Lightweight, robust and comes complete with a 48" metal shaft with ergonomically designed handle. The tough plastic blade is reinforced with an aluminium strip to maximise longevity.



SALT SPREADER

Ideal for use on footpaths, small car parks and school grounds where larger apparatus cannot be used effectively. With a capacity of 36kg and a handle bar mounted adjustable flow control you achieve a wide spreading throw. Supplied with pneumatic wheels for easy use over rough ground and icy surfaces.

Height	810mm
Width	530mm
Weight	12kg



EUROPALITE DISTRIBUTION DEPOTS

London (Head Office)	020 7540 2500
Barking (London)	020 7474 0330
Birmingham	01384 240330
Bristol	0117 972 8641
East Kilbride	01355 208608
Fareham	01329 284747
Leeds	01132 380300
Manchester	0161 876 7832
Medway	01634 297797
Middlesbrough	01642 459300
Newbury	01635 866707
Northampton	01604 756180
Norwich	01603 488478
Nottingham	01159 304334
Peterborough	01733 311444
Plymouth	01752 973590
Wales	01656 657013



Europalite (Moulded Plastic Manufactures)
 Milward House, Eastfield Side, Sutton in Ashfield
 Nottinghamshire NG17 4JW England
 T: +44 (0) 1623 528 760
 F: +44 (0) 1623 510 955
 sales@europalite.eu
 europalitedirect.co.uk



A trading division of Marwood Group Ltd
www.marwoodgroup.co.uk www.railtec.co.uk